

DECORATIVE TERRAZZITE

PURPOSE

A decorative grade of seamless floor topping which combines the hygienic properties, chemical resistance and toughness of Nuplex Industrial Terrazzite with the décor of coloured aggregates. Carefully choose the coloured aggregate or blends of colours. The contractor is to produce samples and formulation prior to the start of work. Aggregate sample boxes are available from Nuplex.

PROPERTIES

Hard-wearing, proven performance, versatile, seamless flooring, hygienic and safe with slip resistance finishes available. Decorative Terrazzite has the same properties as Nuplex Industrial Terrazzite.

RECOMMENDED USES

Anywhere a hygienic, hard wearing, decorative floor finish is required such as: Commercial Kitchens, Dairy Industry, Food and Beverage Processing Plants, Wineries, Pharmaceutical Production Areas, Fish and Meat Plants, Shower Bases, Ablution and Change Areas etc.



TRAXITE COLOURFINE

PURPOSE

Traxite Colourfine is a more economical flooring option. Being 1.5mm – 2.0mm thick, this product consists of resins and Decorative Aggregates. This produces colourful yet non-slip finishes.

RECOMMENDED USES

Suitable for Changing Rooms, Ablution Blocks, Pool Surrounds, Terraces, Steps, Decorative floorings etc.



5%

10%

15%

Decorative Terrazzite made with increasing levels of blue aggregates. Please note that the cost of the system increases with concentration.

DECORATIVE TERRAZZITE COLOUR CHART



BLUESTONE



CERAMIC



TURF GREEN



SALT & PEPPER



RED



CHOC BROWN



OFF WHITE



SEABLUE



SCORIA

Please Note: These colour samples are intended as a guide only and are as accurate as the colour printing process allows. It is recommended that a sample be submitted before final approval. Your contractor can blend coloured aggregates to meet your requirements. The addition of a slip resistant finish may cause colours to differ slightly.

INDUSTRIAL TERRAZZITE

PURPOSE

A 6 mm thick, trowel applied, industrial grade polymer floor topping system widely proven in a variety of demanding commercial and industrial flooring situations.

PROPERTIES

HARD-WEARING-Proven Performance in demanding environments such as food manufacturing, processing facilities, commercial kitchens etc. Withstands heavy industrial use, impact, abrasion, and harsh chemicals.

VERSATILE, - Can form complex curves to create coves, upstands and follow the contours of drains, plinths etc.

SAFE – Surface texture can be varied to suit individual requirements from smooth to a heavy slip resistant texture. Non walking areas can be finished smooth to aid cleaning while only traffic areas are treated with a slip resistant finish.

HYGENIC – Corners virtually seamless. Less joints, cracks, corners etc. to harbour or support bacteria, pathogens, fungal growth or other unwanted pests and cultures etc. Approved for use in dairy, meat and fish production areas.

LOW ODOUR – option available where contamination of foodstuffs could occur during installation. Refer to NUPLEX SUPASCREED.

COLOURS AVAILABLE – by tinting the resin or use of available coloured aggregates. This option should be discussed with Nuplex Industries Ltd representatives or the licensed contractor.

RECOMMENDED USES

Anywhere an hygienic, hard wearing floor finish is required such as: **COMMERCIAL KITCHENS, DAIRY INDUSTRY, FOOD and BEVERAGES PROCESSING PLANTS, WINERIES, PHARMACEUTICAL PRODUCTION AREAS, FISH and MEAT PLANTS, SHOWER BASES, ABLUTION and CHANGE AREAS ETC.**



Where appearance, durability, safety and performance are important.

nuplex[®]

Construction Products

Auckland
721 Great South Road, Penrose

Hamilton
18 Somerset Street

Palmerston North
216 John F. Kennedy Drive

Wellington
Unit 1, 6 Hurring Place, Newlands

Christchurch
55 Montreal Street

Freephone: **0508-882 288** Fax: **0508-553 344** email: ncpsales@nuplex.co.nz www.nuplexconstruction.co.nz

Nuplex resin floor toppings are available only through members of the Nuplex Contractors Federation who are trained in the application of these systems.

Other systems:

Toppings

Sureshield: Industrial floor finish 8-9mm thick.

Supascreed: Low odour, epoxy 6mm floor toppings for odour critical areas

Decorative Terrazzite: Topping including durable coloured stone chips. Useful for designating floor areas.

Surecote 500AR: Very high heat & chemical resistance product. Ideal for bakeries and hot oil areas.

Nuthane: Polyurethane floor topping with ultra-high chemical resistance. Will bond to damp concrete and will cure in low temperature conditions. No odour.

Surechem VE: High chemical resistance vinyl ester floor topping. For chemical CIP areas.

Floor Screeds

RapidFloor MMA: Very fast curing system with very low temperature cure options.

Traxite: 3-5mm overlay systems to upgrade floor toppings. Will enhance non-slip effects.

Terratuff SLE: Self levelling epoxy for seamless smooth floors.

Surecote 200: Solvent-free epoxy screed to give a flat level hi-build coating.

Wall / Bund Claddings

Situclad E: Epoxy, seamless wall cladding system for hygiene areas.

Situclad VE: Vinyl ester, seamless wall cladding system for hygiene areas that are subject to strong chemical exposure.

Wall / Floor Coatings

AquaDuo System: Aquaguard / Aquacolor epoxies for wall or floor coating for hygiene areas. Smooth, glossy and hard-wearing.

Terraflake: Flake based epoxy / polyurethane coating for medium duty decorative floors.

Terratuff: Thin epoxy floor coating for warehouses etc.

Wall Coatings


Situflex S: Situflex / Situglaze S: Hi-Build acrylic wall coating for food processing areas.

Surflaglaze: Polyurethane coating for walls, steelwork etc. Provides a tough, glossy hardwearing finish.


Twintite System: Aquaguard 101 with Polyurethane topcoat, Surflaglaze, for maximum durability.

August 2008

Floor, cove & drain topping detail



Terrazzite Topping protecting a floor in a complex, enclosed space.



Full data on all products are available on our website: www.nuplexconstruction.co.nz or email ncpsales@nuplex.co.nz



Construction Products

Auckland
721 Great South Road, Penrose

Hamilton
18 Somerset Street

Palmerston North
216 John F. Kennedy Drive

Wellington
Unit 1, 6 Hurring Place, Newlands

Christchurch
55 Montreal Street

Freephone: 0508-882 288 Fax: 0508-553 344 email: ncpsales@nuplex.co.nz www.nuplexconstruction.co.nz